

Mator moyi RAVENOL Motobike 4-T Ester 15W-50

Yopishqoqlik: 15W-50

Sintetik



1 L

Mahsulot kodi:

1172113-001

Mahsulot kodi:

1172113-001-01-999

Shtrix-kod:

4014835731219



4 L

Mahsulot kodi:

1172113-004

Mahsulot kodi:

1172113-004-01-999

Shtrix-kod:

4014835731295



10 L

Mahsulot kodi:

1172113-010

Mahsulot kodi:

1172113-010-01-999

Shtrix-kod:

401483588616



20 L

Mahsulot kodi:

1172113-020



20 L, ecobox

Mahsulot kodi:

1172113-B20

Mahsulot kodi:

1172113-B20-01-888

Shtrix-kod:

4014835783522



60 L

Mahsulot kodi:

1172113-060



60 L, bosilgan barrel

Mahsulot kodi:

1172113-D60



208 L

Mahsulot kodi:

1172113-208



1 000 L

Mahsulot kodi:

1172113-700

RAVENOL Motobike 4-T Ester SAE 15W-50 – bu 4 taktli mototsikl dvigatellari uchun maxsus ishlab chiqilgan zamonaviy sintetik motor moyidir. Yonilg'i tejamkorligini ta'minlaydi.

Mototsikl dvigatelini og'ir ekspluatatsiya sharoitlarida, shu jumladan uzoq muddatli yuqori aylanish tezligida ishonchli himoya qiladi. Quruq mufta va moyli vanna ichidagi muftali sport mototsikllarning to'rt taktli dvigatellari uchun maxsus ishlab chiqilgan.

Bu mahsulot aynan motosport uchun yaratilgan yangi yuqori texnologiyali ishlanma hisoblanadi.

Qo'llanilishi:

RAVENOL Motobike 4-T Ester SAE 15W-50 JASO MA2 T903:2016 sinfiga va SAE 15W-50 viskozitaga ega moy tavsiya etilgan barcha turdagi 4 taktli mototsikl dvigatellari uchun qo'llaniladi.

MOTOBIKE 4-T Ester SAE 15W-50 quyidagilarni ta'minlaydi:

- Dvigatelning barcha muhim uzal va detallari uchun darhol yog'lanishni
- Moyning past sarfi tufayli kam pufaklanish
- Noqulay sharoitlarda ham shlam, nagar va korroziyadan himoya
- Turli haroratlarda gidroturtkagichning uzluksiz va muammosiz ishlashi
- Yonish kameralarida, piston halqalari va klapanlar zonasida nagar hosil bo'lmasligi
- Moy almashtirish oralig'i davomida o'zgarmas viskozitani, yuqori viskozit indeks bilan
- Muhrlovchi materiallarga nisbatan neytral ta'sir

Xususiyatlari

Ism	Ma'nosi	Audit
API	SN	
JASO	MA2	
Mos keladi	Aprilia, BMW, Ducati, Honda, Kawasaki, Moto-Guzzi, Suzuki, Triumph, Yamaha	
Zichlik 20°C da	860 g/cm ³	EN ISO 12185
Rang	Sariq-jigarrang	ingl
Viskozite 100°C da	18.7 mm ² /s	DIN 51562-1
Viskozite 40°C da	144.7 mm ² /s	DIN 51562-1
Viskozite indeksi VI	147	DIN ISO 2909
Yuqori haroratli viskozite (HTHS) 150°C da	5.13 mPa*s	ASTM D5481
Past haroratli viskozite (CCS) - 20°C da	6300 mPa*s	ASTM D5293
Qotish harorati	-30 °C	DIN ISO 3016
Yong'in chiqish harorati	256 °C	DIN EN ISO 2592
Ishqoriy son	7.9 mgKOH/g	ASTM D2896
Sulfatli kul miqdori	0.86 %wt.	DIN 51575
Tavsiyalar	Aprilia, BMW, Ducati, Honda, Kawasaki, Moto-Guzzi, Suzuki, Triumph, Yamaha	
Dvigatelning taktligi	4T	

OEM analoglari

BMW

83212213684, 83212218762, 83212455133, 89999405893, 83212444515, 83122405893, 83122405894, 83122406469, 83122406468, 83122405891, 83212365963, 83122405892, 83122406467, 83212410655, 83212410656, 83212334736

Yamaha

LUB15W50FS12

To'xtatilgan qadoqlash

Qadoqlash	Mahsulot kodi	Shtrix-kod
1 L	1172113-001-01-100 1172113-001-06-999	4014835702110 2200000025449

<i>Qadoqlash</i>	<i>Mahsulot kodi</i>	<i>Shtrix-kod</i>
20 L	1172113-020-01-999	
60 L	1172113-060-01-999	
208 L	1172113-208-01-999	