

## *Tikuv mashinalari, qulf va asboblar uchun moy RAVENOL Feinmechanikoel*

Mineral

### 100 ml



Mahsulot kodi:

**1350360-100**

Mahsulot kodi:

1350360-100-05-050

Shtrix-kod:

4014835170056



### 1 L

Mahsulot kodi:

**1350360-001**

Mahsulot kodi:

1350360-001-01-000

Shtrix-kod:

4014835170117

### 5 L



Mahsulot kodi:

**1350360-005**



### 10 L

Mahsulot kodi:

**1350360-010**

### 20 L



Mahsulot kodi:

**1350360-020**



### 20 L, ecobox

Mahsulot kodi:

**1350360-B20**

### 60 L



Mahsulot kodi:

**1350360-060**



### 208 L

Mahsulot kodi:

**1350360-208**

**RAVENOL Feinmechanikoil** — smola va kislotalar tarkibiga ega bo'lmagan maxsus moy. Bu mahsulot parafinsizlantirilgan va gidrotozalangan.

Qo'llanilish sohasi:

RAVENOL Feinmechanikoil — bu universal moy bo'lib, velosipedlar, tikuv mashinalari, maishiy va ofis texnikasi, qulf va boshqa asboblarni moylash uchun mo'ljallangan.

Afzalliklari va xususiyatlari:

Yorug' rangga ega bo'lgani sababli dog' qoldirmaydi va hidsiz. Eskirishga chidamli va yaxshi yopishqoqlik-harorat xususiyatlariga ega.

## Xususiyatlari

<i>Ism</i>	<i>Ma'nosi</i>	<i>Audit</i>
Zichlik 20°C da	834 g/cm <sup>3</sup>	EN ISO 12185
Rang	Yorug'	ingl
Viskozite 100°C da	6 mm <sup>2</sup> /s	DIN 51562-1
Viskozite 40°C da	32.1 mm <sup>2</sup> /s	DIN 51562-1
Viskozite indeksi VI	135	DIN ISO 2909
Qotish harorati	-18 °C	DIN ISO 3016
Yong'in chiqish harorati	190 °C	DIN EN ISO 2592

## To'xtatilgan qadoqlash

<i>Qadoqlash</i>	<i>Mahsulot kodi</i>	<i>Shtrix-kod</i>
100 ml	1350360-100-05-000	
1 L	1350360-001-01-999	
10 L	1350360-010-01-999	
20 L	1350360-020-01-999	
60 L	1350360-060-01-999	
208 L	1350360-208-01-999	